



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Important note: Unless otherwise indicated, medical policies will apply to all lines of business.

Medical necessity as defined by this policy does not ensure the benefit is covered. This medical policy does not replace existing federal or state rules and regulations for the applicable service or supply. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan documents. See the member plan specific benefit plan document for a complete description of plan benefits, exclusions, limitations, and conditions of coverage. In the event of a discrepancy, the plan document always supersedes the information in this policy.

SERVICE: No Cost-Sharing for Preventive Care Services recommended under the Patient Protection and Affordable Care Act

PRIOR AUTHORIZATION: Generally, not required.

Note: Unless otherwise indicated (see below), this policy will apply to all lines of business.

POLICY: Consistent with the PHS Act Section 2713, cost-sharing will not be required for the following services when provided by Plan providers under the terms of this policy:

1. Evidence-based items or services that have a rating of A or B in the current recommendations of the United States Preventive Services Task Force (USPSTF) with respect to the individual involved.
2. Immunizations for routine use in children, adolescents, and adults that are recommended by the Advisory Committee on Immunization Practices of the Center for Disease Control and Prevention (ACIP) with respect to the individual involved and have been adopted by the Centers for Disease Control and Prevention. An immunization is considered to be routine if it appears on the Immunization Schedules for the Centers for Disease Control and Prevention.
3. With respect to infants, children and adolescents, evidence-informed preventive care and screenings provided for in the comprehensive guidelines supported by the Health Resources and Services Administration (HRSA).
4. With respect to women, evidence-informed preventive care and screening provided for in comprehensive guidelines supported by HRSA (not otherwise addressed by the recommendations of USPSTF).
5. With respect to female contraception, unless excluded by certain religious employers, all FDA approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity, as prescribed are covered.

Requirement to use Plan Providers:

1. In order to receive services without member cost sharing, services **MUST** be obtained from network providers. Services obtained from non-network providers may not be covered under the terms of the member's benefit plan. For services which are otherwise covered by the benefit plan when obtained



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

from non-network providers (e.g. emergency services, approved referrals, etc.) member cost-sharing will apply, even when these preventive services are provided.

2. For those Plans which would otherwise impose member cost-sharing for the listed preventive services, when obtained through plan network providers, the Scott & White Health Plan will meet the regulations by providing coverage without member cost sharing when those services are provided within the Plan network, and within the Plan medical management rules and terms of this policy.

All services for counseling, an annual preventive history and physical examination, vital measurements such as blood pressure, height, weight, etc., physical and behavioral screening examinations, and other services typically provided in a provider's office should be provided within the allowable covered preventive office visits as outlined under the member's EOC in order to avoid member cost sharing. Limitations on number of preventative office visits covered without cost share for children are listed below. Adults are limited to coverage without member cost share to **ONE** preventive services office visit annually. If counseling for a condition or conditions that a member has and is included in the list of covered counseling services, this may be done once annually in addition to the preventive exam and screenings and provided either by a primary clinician or other appropriate clinician such as behavioral health/substance abuse or nutritional counselor. The plan will cover counseling for services as noted in the federal register and on the website www.healthcare.gov. It is expected from time to time that the list of covered services will change.

If a service or procedure NOT covered under this mandate is billed separately from the covered office visit, member cost-sharing may apply to that service as determined by the member's benefit plan.

If BSWHP determines that the primary purpose of the visit is other than the provision of preventative care as outlined in this policy, member cost sharing may apply to the office visit as determined by the member's benefit plan.

SELECTED PREVENTIVE CARE SERVICES

Contraceptive coverage will include methods and counselling defined in the Health Resources and Services Administration (HRSA) Guidelines.

There is NO coverage for:

1. Contraceptives not requiring a prescription, such as condoms, contraceptive sponges, spermicides and non-prescription oral "morning after" pills
2. Contraception methods for males



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Breastfeeding Pump: An electric breast pump for personal use will be covered as follows:

1. An electric breast pump (HCPCS code E0603) is available through some contracted Durable Medical Equipment providers upon presentation of a script from a network provider.
 - a. This benefit is limited to one pump per completed pregnancy but no more than one pump in a calendar year.

In the event of a birth resulting in multiple infants, only one breast pump will be provided

- b. A breast pump purchase includes the necessary supplies for the pump to operate.
2. During the year, additional supplies if necessary for the personal-use electric breast pump to function, will be provided. This includes: tubing adaptors, tubing, locking rings, bottles specific to breast pump operation, caps for bottles that are specific to the breast pump, and breast shield and/or splash protector for use with the breast pump.

This benefit is limited to once per calendar year and is in addition to the supplies provided with the pump procured in item #1 above.

3. BSWHP considers rental of a heavy duty electrical (hospital grade) breast pump medically necessary for the period of time that a newborn is detained in the hospital, up to a maximum of six months.
4. The Breastfeeding Pump benefit does **NOT** include:
 - a. Manual breast pumps and related equipment and supplies.
 - b. Hospital-grade breast pumps and all related equipment and supplies.
 - c. Equipment and supplies not listed in section 1 and 2 above, including but not limited to:
 - i. Batteries, battery-powered adaptors, battery packs and electrical power adapters for travel.
 - ii. Bottles which are not specific to breast pump operation. This includes the associated bottle nipples, caps and lids.
 - iii. Travel bags, and other similar travel or carrying accessories.
 - iv. Breast pump cleaning supplies including soap, sprays, wipes, steam cleaning bags and other similar products.



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

- d. Baby weight scales.
 - e. Garments or other products that allow hands-free pump operation.
 - f. Breast milk storage bags, ice-packs, labels, labeling lids, and other similar products.
 - g. Nursing bras, bra pads, breast shells, nipple shields, and other similar products.
 - h. Creams, ointments, and other products that relieve breastfeeding related symptoms or conditions of the breasts or nipples.
5. BSWHP will also cover up to **six** visits with a **network** lactation consultant for members needing lactation support during the six months follow delivery.

Immunizations

1. Immunizations for routine use in children, adolescents, and adults which have in effect a recommendation from the Advisory Committee on Immunization Practices and adopted by the Director of the Centers for Disease Control and Prevention (CDCP) will be covered without member cost-sharing when provided by network providers in accordance with plan medical management guidelines. The vaccine must be FDA approved for the prevention of disease in the intended recipient, and coverage may be limited by formulary or other medical management rules to the most appropriate form of the immunization available. There will be no cost-sharing allocated for vaccine administration when a claim is filed under the plan rules for CPT codes 90471-90474 at the same time as the immunization. Other separately identifiable services billed at the same time as the immunization may be subject to cost-sharing as determined by the conditions of the member's benefit plan. Immunization schedules are issued every year and will be updated by the Scott & White Health Plan after adoption by the Director of the CDCP
2. **For BSWHealth Employee Plan only:** If a member is living out of state and requires federal or state approved/mandated immunizations, this can be obtained from a non-network provider without cost-sharing. The covered services will follow the same CDC immunization recommendations listed above, unless state mandates require additional immunizations. For more information regarding individual vaccinations that may be state mandated, but not required by the CDC guidelines, the following resources may be helpful:

Resource for state mandates/exemptions - <https://www.immunize.org/laws/>

State vaccination laws CDC Tool - <https://www2a.cdc.gov/vaccines/statevaccsApp/default.asp>



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Preventive vs. Diagnostic Services

Certain services can be done for preventive or diagnostic reasons. When a service is performed for the purpose of preventive screening and is appropriately reported, it will be adjudicated as a preventive service benefit.

1. Preventive services are those performed on a person who has:
 - a. Not had the preventive screening done before and does not have symptoms or other abnormal studies suggesting abnormalities; or
 - b. Had screening done within the recommended interval with the findings considered normal; or
 - c. Had diagnostic services results that were normal after which the physician recommendation would be for future preventive screening studies using the preventive services intervals.
 - d. A preventive service done that results in a therapeutic service done at the same encounter and as an integral part of the preventive service (e.g. polyp removal during a preventive colonoscopy), the therapeutic service would still be considered a preventive service.
2. Other specifics
 - a. Stool-based tests for colorectal cancer screening (see table below for details)
 - b. There are several stool tests available for colorectal cancer screening.
 - i. The following stool-based tests are available to BSWHP members:
 - Guaiac-based fecal occult blood test (gFOBT) and
 - Fecal immunochemical tests (FITs)
 - ii. FIT-DNA testing **IS** available to members in Medicare-related plans.
 - iii. After review of the scientific literature, BSWHP has determined that multi-targeted stool DNA testing (FIT-DNA), e.g. Cologuard®, is **NOT** medically necessary because other stool tests are available for screening, such as OC FIT-CHEK® family of FITs, that are equally effective, less costly, and associated with fewer false positive tests and thus have a lower likelihood of follow-up colonoscopy.

The section that follows provides details for the Preventive Health Benefit. The Preventive Health Benefit for Self-funded plans may deviate from the table that follows.



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Preventive Health Benefits Template Grid version 2021_1001

Based on United States Preventive Services Task Force (USPSTF) A and B Recommendations
<https://www.uspreventiveservicestaskforce.org/Page/Name/uspstf-a-and-b-recommendations/>

- **Grade A** - The USPSTF recommends the service. There is high certainty that the net benefit is substantial.
- **Grade B** - The USPSTF recommends the service. There is high certainty that the net benefit is moderate or there is moderate certainty that the net benefit is moderate to substantial.
- **Grade D** - The USPSTF recommends **against** the service. There is moderate or high certainty that the service has no net benefit or that the harms outweigh the benefits.
- **Grade I** - The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of the service. Evidence is lacking, of poor quality, or conflicting, and the balance of benefits and harms cannot be determined.

Other sources:

- Bright Futures Recommendations for Pediatric Preventive Health Care https://www.aap.org/en-us/Documents/periodicity_schedule.pdf
- Uniform Panel of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children
- Guidelines specifically issued for women and adopted by Health Resources & Services Administration (HRSA) <https://www.hrsa.gov/womensguidelines/>
- Texas Mandates (in table below TX mandate requirements take precedence over USPSTF requirements, e.g. an age range that differs from USPSTF, a benefit not on USPSTF list, etc.)

For immunization recommendations and schedules see Center for Disease Control and Prevention:
<https://www.cdc.gov/vaccines/schedules/>

Preventive Services

1. Are those performed on a person who has:
 - a. Not had the preventive screening done before and does not have symptoms or other abnormal studies suggesting abnormalities; or
 - b. Had screening done within the recommended interval with the findings considered normal; or
 - c. Had diagnostic services results that were normal after which the physician recommendation would be for future preventive screening studies at recommended preventive services intervals.



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

- d. A preventive service done that results in a therapeutic service done at the same encounter and as an integral part of the preventive service (e.g. polyp removal during preventive colonoscopy), the therapeutic service would still be considered a preventive service.

2. Examples include, but are not limited to:

- a. A woman had an abnormal finding on a preventive screening mammography and the follow up study was found to be normal, and the patient was returned to normal mammography screening protocol, then future mammography would be considered preventive.
- b. If a polyp is encountered during preventive screening colonoscopy, the colonoscopy, removal of the polyp, and associated fees done at the same encounter are covered under the Preventive Care Services benefit.

Diagnostic Services - when a service is done for diagnostic purposes, it will be adjudicated as a non-preventive medical benefit.

1. Diagnostic services are done on a person who had:

- a. Abnormalities found on previous preventive or diagnostic studies that require further diagnostic studies; or
- b. Abnormalities found on previous preventive or diagnostic studies that would recommend a repeat of the same studies within shortened time intervals from the recommended preventive screening time intervals; or
- c. A symptom that required further evaluation.

2. Examples include, but are not limited to:

- a. A patient had a polyp found and removed at a prior preventive screening colonoscopy. All future colonoscopies are considered diagnostic because the time intervals between future colonoscopies would be shortened.
- b. A patient had an elevated cholesterol on prior preventive screening. Once the diagnosis has been made, further testing is considered diagnostic rather than preventive. This is true whether or not the patient is receiving pharmacotherapy.
- c. If a Preventive service results in a therapeutic service at a later point in time, the Preventive Service would be adjudicated under the Preventive Care Services benefit and the therapeutic service would be adjudicated under the applicable non-preventive medical benefit.



MEDICAL COVERAGE POLICY	
SERVICE: Preventive Care – Affordable Care Act	
Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Wellness visit for young children	99381, 99382, 99391, 99392	This is a comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions Frequency according to AAP Bright Futures		0-4y	varies	No codes required for Wellness visits.	-
Wellness visit beyond age 5y	99383, 99384, 99385, 99386, 99387, 99393, 99394, 99395, 99396, 99397 G0402, G0438, G0439 G0513, G0514 (prolonged preventive)	This is a comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions May include administration and interpretation of health risk assessment instrument (99420)		5+y	q1y	No codes required for Wellness visits. G0402, G0438, G0439, G0513, G0514 are the Medicare initial preventive PE and wellness visit (one time) with no copays	-

Note: Lavender codes indicate codes that are applicable to Medicare-related lines of business.
Affordable Care Act (ACA) Preventive Benefit
USPSTF Preventive recommendation A or B

Section 1: USPSTF A/B Recommendations (plus Medicare ONLY)

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Abdominal aortic aneurysm	76706	The USPSTF recommends one-time screening for abdominal aortic aneurysm by ultrasonography in men ages 65 to 75 years who have ever smoked.	Male	65-75y	Lifetime-once	Required Diagnosis Codes F17.210, F17.211, F17.213, F17.218, F17.219, Z87.891	B
Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions	99408, 99409 G0442, G0443	The USPSTF recommends screening for unhealthy alcohol use in primary care settings in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use		18+y		Use diagnosis codes: Z00.00, Z00.01, Z13.220, Z13.6, Z13.89, Or Z71.41 or codes from F10 series (alcohol abuse, etc.)	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Blood pressure screening in adults		The USPSTF recommends screening for high blood pressure in adults aged 18 years or older. The USPSTF recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment.		18+y		This service is included in a preventive care wellness examination.	A
Breast cancer preventive counseling medications		The USPSTF recommends that clinicians offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors, to women who are at increased risk for breast cancer and at low risk for adverse medication effects. [SWHP added: Must have no prior diagnosis of breast cancer.]	Female	35+y		Covered as applicable under drug benefit. NOT A MEDICARE PREVENTIVE BENEFIT.	B
BRCA risk assessment, genetic counseling and testing	Counseling: 96040, S0265 Testing: 81162, 81163, 81164, 81165, 81166, 81167, 81212, 81215, 81216, 81217	The USPSTF recommends that primary care clinicians assess women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA1/2) gene mutations with an appropriate brief familial risk assessment tool. Women with a positive result on the risk assessment tool should receive genetic counseling and, if indicated after counseling, genetic testing.	Female			Required Diagnosis Codes: Z80.3, Z80.41, Z85.3, Z85.43, Z15.01, Z15.02 BRCA1 or BRCA2 test if criteria met. Counseling post-screen if indicated. TESTING REQUIRES Prior Authorization NOT A MEDICARE PREVENTIVE BENEFIT.	B
Breast cancer screening mammography HIGH-RISK BSWHealth Employee Plan ONLY	77063, 77067,		Female		q1y	Required Diagnosis Codes: Z12.31, Z12.39 PLUS a “high-risk” code from the following: Z80.3, Z15.01, O09.51x, Z85.3, Z92.3	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Breast cancer screening mammography	77063, 77067	The USPSTF recommends biennial screening mammography for women aged 50 to 74 years. Screening includes digital breast tomosynthesis. (TX mandated age 1987)	Female	35+y	q1y	Required Diagnosis Code: Z12.31, Z12.39 plus additional codes as appropriate MEDICARE: x 1 between 35-39 yr, then annually.	B
	-----TX Mandated diagnostic mammograms: 77065, 77066, 77061, 77062	----TX mandates HB 170 coverage of diagnostic mammograms as well as screening mammograms effective 1/1/20			No freq for diagnostic	NOT A MEDICARE PREVENTIVE BENEFIT.	
	-----US 76641/42 Ultrasound, breast unilateral/bilateral, real time with image documentation, including axilla	----- TX mandates SB 1065 coverage of diagnostic mammography as well as screening mammograms effective 1/1/22				NOT A MEDICARE PREVENTIVE BENEFIT.	
	MRI 77046/47 MRI breast, without contrast material; unilateral/bilateral						
	MRI 77048/49 MRI breast, without/with contrast material(s), including computer-aided detection, unilateral/bilateral						



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Breastfeeding support and interventions	S9443 98960 99341, 99342, 99343, 99347, 99348, 99349	The USPSTF recommends interventions during pregnancy and after birth to promote and support breastfeeding.	Female		Up to 6 lactation consultant visits	Requires Diagnosis Code: Z39.1	B
Breast pump (one electric) & supplies Extra supplies	E0602, E0603, E0604 (rental) A4281, A4282, A4283, A4284, A4285, A4286	This benefit is limited to one pump per completed pregnancy but no more than one pump in a calendar year. In the event of a birth resulting in multiple infants, only one breast pump will be provided. Additional supplies, if needed.			One per yr One per yr	Requires Diagnosis Code: Z39.1 E0604 (Hospital grade pump rental – see policy for limitations)	
Cervical cancer screening (Pap Smear) with/without HPV testing	Grp 1: G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, P3000, P3001 Grp 2: 87624, 87625, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175	The USPSTF recommends screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, the USPSTF recommends screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting). (TX mandated age - 18, and interval – 1 yr)	Female	18+y	Q 1-5yr	Grp 1: Medicare: Required Diagnosis Codes: High risk (Annually) Z77.29, Z77.9, Z91.89, Z92.89, Z72.51, Z72.52, and Z72.53 Low risk (Every 2 years) Z01.411, Z01.419, Z12.4, Z12.72, Z12.79, and Z12.89. Grp 2: All Other: Required Diagnosis Codes: Z00.00, Z00.01, Z01.411, Z01.419, Z12.4	A
Chlamydia screening: women	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87810, 87492, 87800, 87801, 87810	The USPSTF recommends screening for chlamydia in sexually active women age 24 years or younger and in women 25 years or older who are at increased risk for infection.	Female			Required Diagnosis Codes: (See list of pregnancy codes below) OR: Z11.3, Z11.8, Z11.9, Z20.2, Z72.89, Z72.51, Z72.52, Z72.53	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Cholesterol abnormalities screening: men 35+ years old	80061, 82465, 83718, 83719, 83721, 83722, 84478	The USPSTF strongly recommends screening men age 35 disorders. This USPSTF recommendation has been Required for Statin prophylaxis: identification of 10-yr CVD event risk requires universal lipids screening in adults ages 40-75 years.	Male	35+y		Required Diagnosis Codes: Z00.00, Z00.01, Z13.220, Z13.6	
Cholesterol abnormalities screening: younger men at increased risk AND women at increased risk:	80061, 82465, 83718, 83719, 83721, 83722, 84478	The USPSTF recommends screening men aged 20-35 and older for lipid disorders if they are at increased risk for coronary heart disease. This USPSTF Required for Statin prophylaxis: identification of dyslipidemia and calculation of 10-yr CVD event risk	Male Female	20-35y 45+	q5y	Required Diagnosis Codes: Z00.00, Z00.01, Z13.220, Z13.6 PLUS: Personal or family history: Z72.0, Z82.49, Z87.891, F17.210, F17.211, F17.213, F17.218, F17.219 Obesity: E66.01, E66.09, E66.1, E66.3 E66.8, E66.9 BMI 40+: Z68.41, Z68.42, Z68.43, Z68.44, Z68.45 Essential hypertension: I10 Secondary Hypertension: I15.0, I15.1, I15.2, I15.8, I15.9 Coronary atherosclerosis: I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812 Diabetes (see list at end) Atherosclerosis (see list at end)	
Medicare coverage plans only Cholesterol screening	Medicare: 80061, 82465, 83718, 84478	Medicare covers all patients without apparent cardiovascular disease signs or symptoms			q 5y	Required Diagnosis Codes: Z13.6 This is a Medicare ONLY benefit!	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Colorectal cancer screening For BSWHEP ONLY	Colonoscopy: G0121, G0105 44388, 44389, 44392, 44394, 45378, 45380, 45381, 45384, 45385, 45388	BSWH ASO High-risk	Both	No limit	q5y	Required diagnosis codes: Z00.00, Z00.01, Z12.10, Z12.11, Z12.12, Z15.09, Z80.0, Z83.71, Z83.79 PLUS a “high-risk” code from the following: Z80.0, Z83.71, Z83.71, Z80.0, Z86.010, Z85.030, Z85.038, Z85.040, Z85.048, K50.0xx, K50.1xx, K50.8xx, K50.9xx, K51.0xx, K51.2xx, K51.3xx, K51.4xx, K51.5xx, K51.8xx, K51.9xx	
Colorectal cancer screening Non-Medicare	Sigmoidoscopy: G0104, G0106 45330, 45331, 45333 45338, 45346 Colonoscopy: G0105, G0121 44388, 44389, 44392, 44394, 45378, 45380, 45381, 45384, 45385, 45388 FOBT: G0328 82270, 82274 FIT: 82274 FIT-DNA 81528 CT Colonography: 74263 BaE (Medicare) G0120 Consultation prior to colonoscopy: S0285 Anesthesia 00810 G0500, 99153	The USPSTF recommends screening for colorectal cancer starting at age 50 years and continuing until age 75 years. (USPSTF Grade A) The USPSTF recommends screening for colorectal cancer in adults aged 45 to 49 years. (USPSTF Grade B) Fecal occult blood testing (FOBT) annually Fecal immunochemical test (FIT) annually Sigmoidoscopy every five years Colonoscopy every 10 years (increased risk every 5 years) CT colonography (virtual colonoscopy) every five years Double contrast barium enema (DCBE) every five years Stool-based deoxyribonucleic acid (DNA) (i.e., Cologuard) every three years TX Mandate for Colorectal Cancer Screening: 81528 (Cologuard) covered for commercial 1/1/22.	Both	45-75y	q1-10 y	No diagnosis code requirements for: 74263, 81528, G0104, G0105, G0106, G0120, G0121, G0122, G0328 Remaining CPTs Required diagnosis codes: Z00.00, Z00.01, Z12.10, Z12.11, Z12.12, Z15.09, Z80.0, Z83.71, Z83.79 FIT-DNA 81528 (Cologuard) covered 1/1/22 CT Colonography: 74263 has specific requirements. NOT covered by Medicare.	A B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade	
Colorectal cancer screening Medicare	Sigmoidoscopy: G0104 G0106 Colonoscopy: G0105 G0121 FOBT: 82270 FIT: G0328, 82274 (per NCD 210.3, 190.34) FIT-DNA 81528	Normal Risk						
		Service	Codes	Timeframe	Age	ICD-10		
		Multitarget sDNA test	FIT-DNA: 81528	Once every 3 years	50-85	Z12.11, Z12.12		
		Screening FOBT	FOBT: 82270 FIT: G0328, 82274	Once every 12 months	50+			
		Screening flexible sigmoidoscopy	G0104	Once every 48 months (unless patient does not meet criteria for high risk of developing colorectal cancer and the patient had a screening colonoscopy within the preceding 10 years. If so, Medicare may cover a screening flexible sigmoidoscopy only after at least 119 months passed following the month the patient got the screening colonoscopy)	50+			
		Screening colonoscopy	G0121	Once every 120 months (10 years) or 48 months after a previous sigmoidoscopy	50+			
		Screening barium enema (when used instead of a flexible sigmoidoscopy or colonoscopy)	G0106	Once every 48 months	50+			
		Screening blood-based marker	G0327	Once every three years (Per CAG, Epi ProColon test does NOT meet criteria)	50-85	NCD 210.3 CAG-00454V		
		BaE (Medicare) G0120 Blood-based markers G0327 Anesthesia 00812	High Risk An individual at high risk for developing colorectal cancer has one or more of the following: <ul style="list-style-type: none">A close relative (sibling, parent, or child) who has had colorectal cancer or an adenomatous polyp;A family history of familial adenomatous polyposis;A family history of hereditary nonpolyposis colorectal cancer;A personal history of adenomatous polyps;A personal history of colorectal cancer; orInflammatory bowel disease, including Crohn’s Disease, and ulcerative colitis.					
	Service		Codes	Timeframe	Age	ICD-10		
	Screening FOBT		FOBT: 82270 FIT: G0328, 82274	Once every 12 months	50+	Z12.11, Z12.12		
	Screening flexible sigmoidoscopy		G0104	Once every 48 months	50+			
	Screening colonoscopy		G0105	Once every 24 months (unless a screening flexible sigmoidoscopy was performed and then Medicare may cover a screening colonoscopy only after at least 47 months)	50+	Specific ICD-10 requirement. See list at end of policy		
	Screening barium enema (when used instead of a flexible sigmoidoscopy or colonoscopy)	G0120	Once every 24 months	50+	Specific ICD-10 requirement. See list at end of policy			
NOTES FOR MEDICARE ONLY:								
FIT-DNA 81528 q 3y – use ICD-10 Z12.11 and Z12.12								
Colonoscopy G0105 (High Risk) q2 year.								
Copay/coinsurance applies to G0106 & G0120								



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Dental caries prevention: infants and children age 6 mo to 5 yrs		The USPSTF recommends primary care clinicians prescribe oral fluoride months for children whose water supply is fluoride deficient. (2021)		6mo to ≤5y		No diagnosis code requirements This service is included in a preventive care wellness visit or focused E&M visit.	B
Dental caries prevention: application of fluoride varnish to primary teeth	99188	The USPSTF recommends that primary care clinicians apply fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption. (2021)		≤5y		No diagnosis code requirements	B
Depression screening: adolescents	96127 G0444	The USPSTF recommends screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. (TX mandated ages)		11-18y		This service is included in a preventive care wellness examination. Include diagnosis code Z13.89	B
Depression screening: adults	96127 G0444	The USPSTF recommends screening for depression in the general adult population, including pregnant and postpartum women. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up.				This service is included in a preventive care wellness examination. Include diagnosis code Z13.89 Medicare covers annual assessment.	B
Depression screening: Pregnant and postpartum		The USPSTF recommends that clinicians provide or refer pregnant and postpartum persons who are at increased risk of perinatal depression to counseling interventions.				This service is included in a preventive care wellness examination.	B
Diabetes: screening for prediabetes and type 2 diabetes	82947, 82948, 82950, 82951, 82952, 83036 97802, 97803, 97804, G0270, G0271 S9449, S9470	The USPSTF recommends screening for prediabetes and type 2 diabetes in adults aged 35 to 70 years who have overweight or obesity. Clinicians should offer or refer patients with prediabetes to effective preventive interventions. (2021) ≤ Codes for nutrition therapy		35-70		Required Diagnosis Codes: Z13.1 Commercial requires one of the following: Pre-diabetes: R73.03, OR Overweight: Z68.25, Z68.26, Z68.27, Z68.28, Z68.29 Obesity: E66.01, E66.09, E66.1, E66.3 E66.8, E66.9 BMI 30+: Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	B
Medicare coverage plans only Diabetes screening in adults	82947, , 82950, 82951,	Medicare care covers screening for patients with Medicare Part B with certain diabetes risk factors or diagnosed with pre-diabetes		Medicare	q 6 mo q 12 mo	Required Diagnosis Codes: Z13.1	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
		Note: Patients previously diagnosed with diabetes aren't eligible for this benefit. <ul style="list-style-type: none">Frequency is q 6 month for patients diagnosed with pre-diabetesFrequency is q 12 months if previously tested but not diagnosed with pre-diabetes or if never tested					
Medicare coverage plans only Diabetes: Medicare Diabetes Self-Management Training (DSMT) NCD 40.1	G0108, G0109	First year: Up to 10 hours of initial training within a continuous 12-month period Subsequent years: Up to 2 hours of follow-up training each calendar year after completing the initial 10 hours of training				Requires: Diagnosed with diabetes, and DSMT order from physician or qualified practitioner treating the patient's diabetes There may be co-pay/cost-share.	
Medicare coverage plans only Diabetes: Medicare Diabetes Prevention Program (MDPP)	G9873, G9874, G9875, G9876, G9877, G9878, G9879, G9880, G9881, G9882, G9883, G9884, G9885, G9890, G9891	This is a Medicare Program. Eligible participants can get up to 2 years of MDPP services with the primary goal of achieving and maintaining at least 5% weight loss. Requirements: <ul style="list-style-type: none">Results from one of three blood tests taken within 12 months before they started MDPP services:<ul style="list-style-type: none">A1c test with a value of 5.7-6.4%Fasting plasma glucose test with a value of 110-125 mg/dlOral glucose tolerance test with a value of 140-199 mg/dlA Body Mass Index (BMI) of at least 25 (or 23 if the patient self-identifies as Asian)No history of type 1 or type 2 diabetes with the exception of gestational diabetesNo End Stage Renal Disease (ESRD)Never received MDPP services before [See MDPP-MLN34893002.pdf]			Each code once per lifetime	Only available through providers enrolled in Medicare and recognized through the CDC and Diabetes Prevention Recognition Program. Diagnosis requirements: BMI 25+ (23+ if Asian): Z68.25 - Z68.45 No history of diabetes: NO E08.xx, E09.xx, E10.xx, E11.xx No end stage renal disease: N18.6	
Falls prevention in older adults: exercise or physical therapy	97161, 97110, 97112, 97116, 97164, S9131, S8990 G0159	The USPSTF recommends exercise interventions to prevent falls in community- dwelling adults age 65 years and older who are at increased risk for falls.		65+y		Required Diagnosis Codes: M62.81, R54, W19.XXXS, Z51.89, Z72.3, Z72.9, Z91.81 NOT A MEDICARE PREVENTIVE BENEFIT. There may be co-pay/cost-share with G0159	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Folic acid supplementation		The USPSTF recommends that all women planning or capable of pregnancy take a daily supplement containing 0.4 to 0.8 mg (400 to 800 rig) of folic acid.	Female	Fertile			A
Medicare coverage plans only Glaucoma Screening	G0117, G0118	Patients who meet at least 1 high-risk criteria: <ul style="list-style-type: none">Individuals with diabetes mellitusIndividuals with a family history of glaucomaAfrican-Americans aged 50 and olderHispanic-Americans aged 65 and older				Required Diagnosis Codes: Z13.5 There may be co-pay/cost-share	
Gonorrhea screening: women	87590, 87591, 87800, 87801, 87850	The USPSTF recommends screening for gonorrhea in sexually active women age 24 years or younger and in older women who are at increased risk for infection.	Female			Required Diagnosis Codes: (See list of pregnancy codes below) OR: Z11.3, Z11.8, Z11.9, Z20.2, Z72.89, Z72.51, Z72.52, Z72.53	B
Healthy Weight and Weight Gain In Pregnancy: Behavioral Counseling Interventions	99401, 99402, 99403, 99404 97802, 97803, 97804 G0270, G0271	The USPSTF recommends that clinicians offer pregnant persons effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy.	Female		Pregnancy	Required Diagnosis Codes: (See list of pregnancy codes below)	B
Healthy diet and physical activity counseling to prevent cardiovascular disease: adults with cardiovascular risk factors	97802, 97803, 97804, G0270, G0271 S9449, S9470	The USPSTF recommends offering or referring adults with cardiovascular disease risk factors to behavioral counseling interventions to promote a healthy diet and physical activity. <= Codes for nutrition therapy (Covered for Medicare. Coverage for Nutrition Therapy may not be available for all lines of business).				This service is included in a preventive care wellness visit Coverage cap for nutritional therapy: 26/yr. One of the following diagnoses required: Screening: Z13.220 History: Z72.0, Z87.891, Z82.49, F17.210, F17.211, F17.213, F17.218, F17.219 Overweight: E66.3, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29 Impaired Fasting Glucose: R73.01 Metabolic Syndrome: E88.81	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
	G0447, G0473 G0446	<= Medicare covers one face-to-fac CVD risk reduction visit per year for beneficiaries who are competent and alert at the time that counseling is provided, and whose counseling is furnished by a qualified primary care physician. NCD 210.12 <= Medicare provides Intensive Behavioral Therapy for obesity with some limitations (see Medicare rules). NCD 210.11				Hyperlipidemia/dyslipidemia: E78.0, E78.1, E78.2, E78.3, E78.4, E78.5 Obesity: E66.01, E66.09, E66.1, E66.8, E66.9, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45 Essential Hypertension: I10 Secondary Hypertension: I15.0, I15.1, I15.2, I15.8, I15.9, N26.2 Coronary atherosclerosis: I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812 Diabetes: See Diabetes Diagnosis Code List below. Atherosclerosis: See Atherosclerosis Code List below. Medicare G0447 & G0473 require codes from this list: BMI 30+: Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	
Hepatitis B screening: those at increased risk	87340, 87341 G0499	The USPSTF recommends screening for hepatitis B virus (HBV) infection in adolescents and adults at increased risk for infection. Medicare covers for a single screening for hepatitis B virus.				Required Diagnosis Codes: Z00.00, Z00.01, Z11.3, Z11.59, Z11.8, Z11.9, Z20.2, Z57.8, Z72.51, Z72.52, Z72.53, Z72.89	B
Hepatitis C virus infection screening	86803	The USPSTF recommends screening for hepatitis C virus (HCV) infection in adults		18-79yr	Once	Required Diagnosis Codes: no specific code	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

	86804	aged 18 to 79 years. (2020)				requirement	
--	-------	-----------------------------	--	--	--	-------------	--



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
	G0472	Medicare covers if: <ul style="list-style-type: none">High risk for HCV infectionBorn from 1945–1965Had a blood transfusion before 1992				Medicare requires: Z72.89 and F19.20	
HIV preexposure prophylaxis	J0739, J0750, J0751, J0799	The USPSTF recommends that clinicians offer preexposure prophylaxis with effective antiretroviral therapy to persons who are at high risk of HIV acquisition. Medicare covers for individuals entitled to Medicare benefits enrolled in Part B.				Covered as applicable under drug benefit. Required Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.5, Z29.81, Z72.51, Z72.52, Z72.53	A
HIV screening: adolescents and adults at increased risk	86689, 86701, 86702, 86703, 87389, 87390, 87391, 87806 G0432, G0433, G0435, G0475 S3645	The USPSTF recommends that clinicians screen for HIV infection in adolescents and adults ages 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened. Medicare covers 8 HIV screening tests every 12 months.				Required Diagnosis Codes: Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.6, Z72.51, Z72.52, Z72.53, Z72.89	A
Hypertension		The USPSTF recommends screening for hypertension in adults 18 years or older with office blood pressure measurement (OBPM). The USPSTF recommends obtaining blood pressure measurements outside of the clinical setting for diagnostic confirmation before starting treatment.		18+			A
Medicare coverage plans only Intensive Behavioral Therapy for Cardiovascular Disease	G0446	Medicare covers annual, face-to-face intensive behavioral therapy for cardiovascular disease NCD 210.11			q 1yr	Medicare benefit Diagnoses required: Z13.22 AND: Overweight: E66.3, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29 Body Mass Index 30.0 – 39.9: Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39 Body Mass Index 40.0 and Over: Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

							Impaired Fasting Glucose: R73.01 Metabolic Syndrome: E88.81	
--	--	--	--	--	--	--	--	--



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
						Hyperlipidemia / Dyslipidemia: E78.00, E78.01, E78.1, E78.2, E78.3, E78.41, E78.49, E78.5 Obesity: E66.01, E66.09, E66.1, E66.8, E66.9, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45 Hypertension: I10 I15.0, I15.1, I15.2, I15.8, I15.9, N26.2	
Intimate partner violence screening		The USPSTF recommends that clinicians screen women of childbearing age for intimate partner violence, such as domestic violence, and provide or refer women who screen positive to intervention services.				This service is included in a preventive care wellness examination.	B
Lung cancer screening	G0297 71271 Note codes G9275, G9276, G9458, G9459, and G9460 are for reporting purposes only, if applicable. These codes are not separately reimbursable. G0296 (for Medicare)	The USPSTF recommends annual screening for lung cancer with low-dose computed tomography (LDCT) in adults aged 50 to 80 years who have a 20 pack- year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery. Medicare also covers G0296 - Counseling visit to discuss need for lung cancer screening using low dose CT scan (ldct) (service is for eligibility determination and shared decision making)		50-80y 50-77y for Medicare lines	q 1y	Required Diagnosis Codes: F17.210, F17.211, F17.213, F17.218, F17.219, Z87.891	B
Newborn: Gonorrhea prophylactic medication: newborns		The USPSTF recommends prophylactic ocular topical medication for all newborns for the prevention of gonococcal ophthalmia neonatorum.		Newborn		Eye prophylaxis for all newborns. Included on hospital billing	A
Newborn: Hearing loss screening: newborns	V5008, 92551 92552, 92553, 92558, 92568, 92583, 92585, 92586, 92587, 92588 92650	Recommended screening for hearing loss in all newborn infants. Necessary diagnostic follow-up care to the screening test for a child from birth through the date the child is 24 months old.		Newborn	0-30days	No Diagnosis Code requirement for V5008, 92551	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Newborn: Hypothyroidism and Metabolic disease screening: NOTE: Part of Texas Newborn Screening Program	S3620 Newborn metabolic screening panel 84436, 84437, 84443	Advisory Committee on Heritable Disorders in Newborns and Children recommends that every newborn screening program include a Uniform Screening Panel that screens for 32 core disorders and 26 secondary disorders; the disorders' selection was based on the "Newborn Screening: Towards a Uniform Screening Panel and System." The USPSTF does not wish to duplicate the significant investment of resources made by others to review new evidence in a timely fashion and make recommendations.		Newborn	0-30days	No Diagnosis Code requirement first 3 months life	
Newborn: Hemoglobinopathies screening NOTE: Part of Texas Newborn Screening Program	S3620 Newborn metabolic screening panel 83020, 83021, 83030, 83033, 83051	The USPSTF recommends screening for sickle cell disease in newborns.		Newborn	0-30days	No Diagnosis Code requirement first 3 months life	
Newborn: Phenylketonuria screening Metabolic Screening: newborns NOTE: Part of Texas Newborn Screening Program	S3620 Newborn metabolic screening panel			Newborn	0-30days	No Diagnosis Code requirement first 3 months life	
Medicare coverage plans only Nutrition therapy for member with diabetes or renal disease in	97802, 97803, 97804 G0270, G0271	Nutrition Therapy for Medicare coverage when the following are true: 1. Receive a referral from their treating physician 2. Diagnosed with diabetes or renal disease or received a kidney transplant within the last 36 months 3. Service provided by a registered dietitian or nutrition professional NCD 180.1				Medicare medical nutrition therapy requires codes from the following: Diabetes: See Diabetes Diagnosis Code List below, or Kidney transplant recipient: Z94.0, or Renal disease: N18.1, N18.2, N18.3, N18.4, N18.5, N18.6, N18.9 Limitation: • First year: 3 hours of one-on-one counseling • Subsequent years: 2 hours	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Obesity: Behavioral	97802, 97803, 97804 G0270, G0271, S9449, S9470	The USPSTF recommends that clinicians offer or refer adults with a body mass index (BMI) of 30 or higher (calculated as weight in kilograms divided by height in meters squared) to intensive, multicomponent behavioral interventions. (Coverage for Nutrition Therapy may not be available for all lines of business).		Adults		Required Diagnosis Codes (BMI of 30+): Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	B
Obesity screening and counseling: children	97802, 97803, 97804 S9449, S9470	The USPSTF recommends that clinicians screen children age 6 years and older for obesity and offer them or refer them to comprehensive, intensive behavioral interventions to promote improvement in weight status. <= Nutrition therapy codes (coverage for Nutrition Therapy may not be available for all lines of business).		6-21y		This service is included in a preventive care wellness examination. Required Diagnosis Codes: E66.01, E66.09, E66.1, E66.8, E66.9, Z68.53 and Z68.54	B
Osteoporosis screening:	76977, 77078, 77080, 77081, 77085, G0130 0554T, 0555T, 0556T, 0557T, 0558T	The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in women 65 years and older. The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in postmenopausal women younger than 65 years who are at increased risk of osteoporosis, as determined by a formal clinical risk assessment tool. TX mandates coverage of: a postmenopausal woman who is not receiving estrogen replacement therapy; an individual with vertebral abnormalities, primary hyperparathyroidism, or a history of bone fractures; or an individual who is receiving long-term glucocorticoid therapy or being monitored to assess the response to or efficacy of an approved osteoporosis drug therapy.	Female	65+y <65y	Medicare q 2y	Required Diagnosis Codes: Z00.00, Z00.01, Z13.820 Supporting codes for < 65 yo: Z78.0, Z79.3, Z79.51, Z79.51, Z79.52, Z79.52, Z79.83, Z87.310, M85.8xx, M85.9, M89.9, N95.8, N95.8, N95.9, E21.0 AND ... AND one of the following diagnoses for postmenopausal state: E28.310 - Symptomatic premature menopause E28.319 - Asymptomatic premature menopause E89.40 - Asymptomatic postprocedural ovarian failure E89.41 - Symptomatic postprocedural ovarian failure N95.1 - Menopausal and female climacteric Z78.0 - Asymptomatic menopausal state	B
Ovarian Cancer Screening	86304	TX mandates coverage for each woman 18 years of age or older enrolled in the plan coverage for expenses for an annual medically recognized diagnostic examination for the early detection of ovarian cancer and cervical cancer. Coverage required under this section includes at a minimum: (1)a CA 125 blood test; and (2) a conventional Pap smear (see “Cervical Cancer screening” above)	Female	18+y	Annually	Covered when following diagnoses are NOT present: C56.1, C56.2, C56.9,	



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Pregnancy: HIV screening: pregnant women	80081, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 87806 G0432, G0433, G0435, G0475 S3645	The USPSTF recommends that clinicians screen for HIV infection in all pregnant persons, including those who present in labor or at delivery whose HIV status is unknown.	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	A
Pregnancy: Bacteriuria screening: pregnant women	81007, 87086, 87088	The USPSTF recommends screening for asymptomatic bacteriuria using urine culture in pregnant persons.	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	B
Gestational Diabetes: Screening: asymptomatic pregnant persons	82947, 82948, 82950, 82951, 82952, 83036	The USPSTF recommends screening for gestational diabetes in asymptomatic pregnant persons at 24 weeks of gestation or after. (2021)	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	B
Pregnancy: Hepatitis B screening: pregnant women	87340, 87341 G0499	The USPSTF recommends screening for hepatitis B virus infection in pregnant women at their first prenatal visit.	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	A
Pregnancy: Preeclampsia prevention: aspirin		The USPSTF recommends the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia. (2021)	Female		Pregnant	All pregnant after 12 wks gestation IF at high risk for preeclampsia.	B
Pregnancy: Preeclampsia: screening		The USPSTF recommends screening for preeclampsia in pregnant women with blood pressure measurements throughout pregnancy.	Female		Pregnant	All pregnant throughout pregnancy Part of routine pregnancy care.	B
Pregnancy: Rh incompatibility screening: first pregnancy visit	86900, 86901	The USPSTF strongly recommends Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	A
Pregnancy: Rh incompatibility screening: 24–28 weeks' gestation	86900, 86901	The USPSTF recommends repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D)-negative.	Female		Pregnant	Required Diagnosis Codes: (See list of pregnancy codes below)	B
Pregnancy: Syphilis Screen in pregnancy	86592, 86593	The USPSTF recommends that clinicians screen all pregnant women for syphilis infection.	Female	Pregnant		Required Diagnosis Codes: (See list of pregnancy codes below)	A



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Pregnancy: Tobacco Smoking Cessation in Adults	99406, 99407	The USPSTF recommends that clinicians ask all pregnant women about tobacco use, advise them to stop using tobacco, and provide behavioral interventions for cessation to pregnant women who use tobacco.	Female	Pregnant		Required Diagnosis Codes: (See list of pregnancy codes below) Plus: F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291, T65.211A, T65.212A, T65.213A, T65.214A, T65.221A, T65.222A, T65.223A, T65.224A, T65.291A, T65.292A, T65.293A, T65.294A, and Z87.891	A
Prostate Cancer Screening: men	84152, 84153, 84154 G0102 – Digital exam G0103 – PSA test	USPSTF: For men aged 55 to 69 years, the decision to undergo periodic prostate-specific antigen (PSA)–based screening for prostate cancer should be an individual one. (Recommendation raised to “C” in 2018). TX Mandate: provides for an annual screening exam to detect prostate cancer. The benefits provided under this subparagraph include the following once per year: (1) a physical examination to detect prostate cancer, (2) a prostate-specific antigen test for a male Member who is at least 50 years of age with no symptoms or who is at least 40 years of age and has a family history of prostate cancer or another prostate cancer risk factor.	Male	40+y		No Diagnosis Code requirements. Note: for Medicare, no cost-share for G0103 (PSA). However, for G0102 (Prostate digital exam) copay and deductibles may apply. Medicare requires Z12.5	C
Sexually transmitted infections counseling, including HIV	G0445 99401, 99402, 99403, 99404	The USPSTF recommends intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections. Bright Futures: start screening at 11 yo. Medicare covers 8 individual HIV counseling visits every 12 months.		11+y		Required Diagnostic Codes: O09.90, O09.91, O09.92, O09.93, Z11.3, Z11.4, Z11.8, Z11.9, Z20.2, Z20.6, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z72.51, Z72.52, Z72.53, Z72.89 G0445 is limited to twice per year	B
Skin cancer behavioral counseling		The USPSTF recommends counseling children, adolescents, and young adults ages 6 months to 24 years who have fair skin about minimizing their exposure to ultraviolet radiation to reduce risk for skin cancer.		to 24y		This service is included in a preventive care wellness examination or focused E&M visit.	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Statin preventive medication: Adults aged 40 to 75 years who have 1 or more cardiovascular risk factors and an estimated 10-year cardiovascular disease (CVD) risk of 10% or greater		The USPSTF recommends that clinicians prescribe a statin for the primary prevention of CVD for adults aged 40 to 75 years who have 1 or more CVD risk factors (i.e. dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year risk of a cardiovascular event of 10% or greater. (Updated 2022)	Both	40-75y		Covered as applicable under drug benefit.	B
Syphilis Screen in those at increased risk	86592, 86593	The USPSTF recommends screening for syphilis infection in persons who are at increased risk for infection.				Required Diagnosis Codes: Z11.3, Z11.8, Z11.9, Z20.2, Z72.89, Z72.51, Z72.52, Z72.53	A
Tobacco Smoking Cessation in Adults: non-pregnant adults	99406, 99407	The USPSTF recommends that clinicians ask all adults about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and U.S. Food and Drug Administration (FDA)–approved pharmacotherapy for cessation to nonpregnant adults who use tobacco.	Both			Required Diagnosis Codes: F17.200, F17.201, F17.210, F17.211, F17.220, F17.221, F17.290, F17.291, T65.211A, T65.212A, T65.213A, T65.214A, T65.221A, T65.222A, T65.223A, T65.224A, T65.291A, T65.292A, T65.293A, T65.294A, and Z87.891 Medicare benefit: Two cessation attempts per year. Each attempt may include a maximum of 4 intermediate or intensive sessions, with the total annual benefit covering up to 8 sessions per year.	A
Tobacco use interventions: children and adolescents	99406, 99407	The USPSTF recommends that clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents.		6-18y		No Diagnostic Code requirement.	B
Tuberculosis screening: adults at increased risk	86580	The USPSTF recommends screening for latent tuberculosis infection in populations at increased risk.				Risk assessment is included in a preventive care wellness examination Z00.00, Z00.01, Code 86580 required Diagnosis Codes: Z11.1	B



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Service	CPT	Description	Sex	Age	Freq	Coding	Grade
Unhealthy drug use		The USPSTF recommends screening by asking questions about unhealthy drug use in adults age 18 years or older. Screening should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred. (Screening refers to asking questions about unhealthy drug use, not testing biological specimens.)		18+ yr		This service is included in a preventive care wellness examination.	B
Visual acuity screening in children	99173, 99174, 99177	The USPSTF recommends vision screening for all children at least once between the ages of 3 and 5 years, to detect the presence of amblyopia or its risk factors. Bright Futures recommends screening at ages 3, 4, 5, 6, 8, 10, 12, and 15, and risk assessment at 12 and 24 months. Instrument-based screening may be used to assess risk at ages 12 and 24 months, in addition to the well visits at 3 through 5 years of age.				Include diagnosis codes Z00.121, Z00.129 99174, 99177 are automated techniques	B
Venipuncture for preventive tests	36415, 36416, 99000, 99001, 99002 P9603, P9604, P9612, P9615					Requires proper diagnostic codes depending on preventive service	

Section 2: AAP Bright Futures Recommendations

Anemia in Young Children: Screening	85013, 85014, 85018, 85041	Bright Futures		1y		Required Diagnosis Codes: Z00.110, Z00.111, Z00.121, Z00.129, Z13.0	-
Autism Screening	96110	Bright Futures		18 & 24m		Required Diagnosis Codes: Z00.121, Z00.129, Z13.4, Z76.2	-



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Behavioral assessment for children		Bright Futures recommends Psychosocial/Behavioral assessment at visits		0-21yr		This service is included in a preventive care wellness visit.	
Cholesterol/Dyslipidemia Screening Children	80061, 82465, 83718, 83719, 83721, 84478	Bright Futures: All children For children at higher risk of lipid disorders (one screening for each of the following ages): 2y, 4y, 6y, 8y, 9-11y, 12y,13y, 14y, 15y, 16y, 17-21y,		10 & 20y Varies.		Required Diagnosis Codes: Z00.121, Z00.129, Z13.220, Z13.6	I
Developmental Screening Developmental Surveillance	96110	Bright Futures		≤3y		Required Diagnosis Codes: Z00.121, Z00.129, Z13.4 See AAP publication for periodicity	-
Height, weight and BMI for children. Blood pressure risk assessment and screening for children		Bright Futures BP risk assessment at visits until age 3. Screening thereafter		0-20yr		This service is included in a preventive care wellness visit.	
Hearing loss screening	92551, 92552, 92553, V5008	Bright Futures Screen with audiometry including 6,000 and 8,000 Hz high frequencies once between 11 and 14 years, once between 15		4mo -21yr			-
Hepatitis B risk		Bright Futures Assess risk for HBV infection from newborn to 21 years (to account for the range in which the risk assessment can take place) as consistent with recommendations of the		0-21yr		This service is included in a preventive care wellness visit.	
Lead Screening	83655	Bright Futures: assess risk at 6mo, 9mo, 12mo, 18mo, 2y, 3y, 4y, 5y, 6y. At 12mo and 2 y: "Perform risk assessments or screenings as appropriate, based on universal screening requirements for patients with Medicaid or in high		0-21yr		Risk assessment is included in a preventive care wellness examination: Z00.121, Z00.129 Code 83655 required Diagnosis Codes: Z77.011	-
Maternal Depression Screening		Bright Futures recommends screening for maternal depression		0-6mo		This service is included in a preventive care wellness visit.	-
Newborn: Bilirubin screening		Bright Futures		Newborn	0-30days		



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Newborn: Critical congenital heart disease screening		Bright Futures Screening for critical congenital heart disease with pulse oximetry for newborns, after 24 hours of age, before discharge from the hospital.		Newborn	0-30days	Screening performed prior to discharge for all newborns. Included on hospital billing	-
Oral Health risk assessment for children		ACA recommendation Bright Futures		0-10yr		This service is included in a preventive care wellness visit. ACA recommendation	
Psychosocial/Behavioral Assessment		Bright Futures This assessment should be family centered and may include an assessment of child social-emotional health, caregiver depression, and social determinants of health				See AAP publication for periodicity	
Sudden Cardiac Arrest and Sudden Death		Bright Futures Assess risk for sudden cardiac arrest and sudden cardiac death from 11 to 21 years (to account for the range in which the risk assessment can take place		11-21 yr		This service is included in a preventive care wellness visit.	
Tobacco, Alcohol, or Drug Use Assessment		Bright Futures		11+y		This service is included in a preventive care wellness visit.	
Tuberculosis screening: children	86580	Bright Futures: Tuberculin testing for children at higher risk of tuberculosis, one test for each of the following age ranges: 1m, 6m, 1y and annually ages 3-21y.		Various		Risk assessment is included in a preventive care wellness examination: Z00.121, Z00.129 Code 86580 required Diagnosis Codes: Z11.1	

Section 3: Women's Health

Anxiety Screening	96127	The Women's Preventive Services Initiative recommends screening for anxiety in adolescent and adult women, including those who are pregnant or postpartum. Optimal screening intervals are unknown and clinical judgement should be used to determine screening frequency. Given the high prevalence of anxiety disorders, lack of recognition in clinical practice, and multiple problems associated with untreated anxiety, clinicians should consider screening women who have not been recently screened.	Female			Required Diagnosis Codes: Z13.39	
-------------------	-------	---	--------	--	--	----------------------------------	--



MEDICAL COVERAGE POLICY	
SERVICE: Preventive Care – Affordable Care Act	
Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

Contraception methods counseling including follow-up and side effects						This service is included in a preventive care wellness visit	-
Contraceptive Methods	<p>Tubal Ligation: 58565, 58600, 58605, 58611, 58615, 58670, 58671, A4264</p> <p>Implantable devices J7304, J7306, J7307, 11976, 11980, 11981, 11982, 11983</p> <p>Injections J1050</p>	<p>The Women’s Preventive Services (WPSI) recommends that adolescent and adult women have access to the full range of contraceptives and contraceptive care to prevent unintended pregnancies and improve birth outcomes. Contraceptive care includes screening, education, counseling, and provision of contraceptives</p> <p>The full range of contraceptives includes those currently listed in the FDA's Birth Control Guide****:</p> <p>(1)sterilization surgery for women, (2)implantable rods, (3)copper intrauterine devices, (4)intrauterine devices with progestin (all durations and doses), (5)injectable contraceptives, (6)oral contraceptives (combined pill), (7)oral contraceptives (progestin only), (8)oral contraceptives (extended or continuous use), (9)the contraceptive patch, (10) vaginal contraceptive rings, (11) diaphragms, (12) contraceptive sponges, (13) cervical caps, (14) condoms, (15) spermicides, (16) emergency contraception (levonorgestrel), and (17) emergency contraception (ulipristal acetate), and any additional contraceptives approved, granted, or cleared by the FDA. Additionally, instruction in fertility awareness-based methods, including the lactation amenorrhea method, although less effective, should be provided for women desiring an alternative method.*****</p>	Female			<p>No Diagnosis necessary for these: A4261, A4266, J7300, J7301, J7303, J7297, 57170, 96372</p> <p>For these: 11976, 11980, 11981, 11982, 11983, 58300, 58301, S4981, S4989, J1050, J7304, J7306, J7307, J7298</p> <p>Must include these diagnoses for tubal ligation: Z30.2, Z98.51</p>	-



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Diabetes screening after pregnancy	82947, 82948, 82950, 82951, 82952, 83036	The Women’s Preventive Services Initiative recommends women with a history of gestational diabetes mellitus (GDM) who are not currently pregnant and who have not been previously diagnosed with type 2 diabetes mellitus should be screened for diabetes mellitus. Initial testing should ideally occur within the first year postpartum and can be conducted as early as 4-6 weeks postpartum.					
HIV screening/prevention	80081, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 87806 G0432, G0433, G0435, G0475 S3645	<p>Women’s Preventive Services Initiative recommends all adolescent and adult women, ages 15 and older, receive a screening test for HIV at least once during their lifetime. Earlier or additional screening should be based on risk, and rescreening annually or more often may be appropriate beginning at age 13 for adolescent and adult women with an increased risk of HIV infection.</p> <p>Women’s Preventive Services Initiative recommends risk assessment and prevention education for HIV infection beginning at age 13 and continuing as determined by risk.</p> <p>A screening test for HIV is recommended for all pregnant women upon initiation of prenatal care with rescreening during pregnancy based on risk factors. Rapid HIV testing is recommended for pregnant women who present in active labor with an undocumented HIV status. Screening during pregnancy enables prevention of vertical transmission.</p>	Female	life			
Obesity Prevention in Midlife Women		The Women’s Preventive Services recommends counseling midlife women aged 40 to 60 years with normal or overweight body mass index (BMI) (18.5-29.9 kg/m2) to maintain weight or limit weight gain to prevent obesity. Counseling may include individualized discussion of healthy eating and physical activity.				This service is included in a preventive care wellness visit	
Urinary Incontinence screening		The Women’s Preventive Services Initiative recommends screening women for urinary incontinence annually. Screening should ideally assess whether women experience urinary incontinence and whether it impacts their activities and quality of life.				This service is included in a preventive care wellness visit	



MEDICAL COVERAGE POLICY
SERVICE: Preventive Care – Affordable Care Act

Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

Pregnancy Diagnosis Code List	000.0, 000.1, 000.2, 000.8, 000.9, 001.0, 001.1, 001.9, 002.0, 002.1, 002.81, 002.89, 002.9, 003.0, 003.1, 003.2, 003.30, 003.31, 003.32, 003.33, 003.34, 003.35, 003.36, 003.37, 003.38, 003.39, 003.4, 003.5, 003.6, 003.7, 003.80, 003.81, 003.82, 003.83, 003.84, 003.85, 003.86, 003.87, 003.88, 003.89, 003.9, 004.5, 004.6, 004.7, 004.80, 004.81, 004.82, 004.83, 004.84, 004.85, 004.86, 004.87, 004.88, 004.89, 007.0, 007.1, 007.2, 007.30, 007.31, 007.32, 007.33, 007.34, 007.35, 007.36, 007.37, 007.38, 007.39, 007.4, 008.0, 008.1, 008.2, 008.3, 008.4, 008.5, 008.6, 008.7, 008.81, 008.82, 008.83, 008.89, 008.9, 009.00, 009.01, 009.02, 009.03, 009.10, 009.11, 009.12, 009.13, 009.211, 009.212, 009.213, 009.219, 009.291, 009.292, 009.293, 009.299, 009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.511, 009.512, 009.513, 009.519, 009.521, 009.522, 009.523, 009.529, 009.611, 009.612, 009.613, 009.619, 009.621, 009.622, 009.623, 009.629, 009.70, 009.71, 009.72, 009.73, 009.811, 009.812, 009.813, 009.819, 009.821, 009.822, 009.823, 009.829, 009.891, 009.892, 009.893, 009.899, 009.90, 009.91, 009.92, 009.93, 010.011, 010.012, 010.013, 010.019, 010.02, 010.10, 010.11, 010.111, 010.112, 010.113, 010.119, 010.12, 010.13, 010.211, 010.212, 010.213, 010.219, 010.22, 010.23, 010.311, 010.312, 010.313, 010.319, 010.32, 010.33, 010.411, 010.412, 010.413, 010.419, 010.42, 010.43, 010.911, 010.912, 010.913, 010.919, 010.92, 010.93, 011.1, 011.2, 011.3, 011.9, 012.00, 012.01, 012.02, 012.03, 012.10, 012.11, 012.12, 012.13, 012.20, 012.21, 012.22, 012.23, 013.1, 013.2, 013.3, 013.9, 014.00, 014.02, 014.03, 014.10, 014.12, 014.13, 014.20, 014.22, 014.23, 014.90, 014.92, 014.93, 015.00, 015.02, 015.03, 015.1, 015.2, 015.9, 016.1, 016.2, 016.3, 016.9, 020.0, 020.8, 020.9, 021.0, 021.1, 021.2, 021.8, 021.9, 022.00, 022.01, 022.02, 022.03, 022.10, 022.11, 022.12, 022.13, 022.20, 022.21, 022.22, 022.23, 022.30, 022.31, 022.32, 022.33, 022.40, 022.41, 022.42, 022.43, 022.50, 022.51, 022.52, 022.53, 022.8X1, 022.8X2, 022.8X3, 022.8X9, 022.90, 022.91, 022.92, 022.93, 023.00, 023.01, 023.02, 023.03, 023.10, 023.11, 023.12, 023.13, 023.20, 023.21, 023.22, 023.23, 023.30, 023.31, 023.32, 023.33, 023.40, 023.41, 023.42, 023.43, 023.511, 023.512, 023.513, 023.519, 023.521, 023.522, 023.523, 023.529, 023.591, 023.592, 023.593, 023.599, 023.90, 023.91, 023.92, 023.93, 024.011, 024.012, 024.013, 024.019, 024.02, 024.03, 024.111, 024.112, 024.113, 024.119, 024.12, 024.13, 024.311, 024.312, 024.313, 024.319, 024.32, 024.33, 024.410, 024.414, 024.419, 024.420, 024.424, 024.429, 024.430, 024.434, 024.439, 024.811, 024.812, 024.813, 024.819, 024.82, 024.83, 024.911, 024.912, 024.913, 024.919, 024.92, 024.93, 025.10, 025.11, 025.12, 025.13, 025.2, 025.3, 026.00, 026.01, 026.02, 026.03, 026.10, 026.11, 026.12, 026.13, 026.20, 026.21, 026.22, 026.23, 026.30, 026.31, 026.32, 026.33, 026.40, 026.41, 026.42, 026.43, 026.50, 026.51, 026.52, 026.53, 026.611, 026.612, 026.613, 026.619, 026.62, 026.63, 026.711, 026.712, 026.713, 026.719, 026.72, 026.73, 026.811, 026.812, 026.813, 026.819, 026.821, 026.822, 026.823, 026.829, 026.831, 026.832, 026.833, 026.839, 026.841, 026.842, 026.843, 026.849, 026.851, 026.852, 026.853, 026.859, 026.86, 026.872, 026.873, 026.879, 026.891, 026.892, 026.893, 026.899, 026.90, 026.91, 026.92, 026.93, 028.0, 028.1, 028.2, 028.3, 028.4, 028.5, 028.8, 028.9, 029.011, 029.012, 029.013, 029.019, 029.021, 029.022, 029.023, 029.029, 029.091, 029.092, 029.093, 029.099, 029.111, 029.112, 029.113, 029.119, 029.121, 029.122, 029.123, 029.129, 029.191, 029.192, 029.193, 029.199, 029.211, 029.212, 029.213, 029.219, 029.291, 029.292, 029.293, 029.299, 029.3X1, 029.3X2, 029.3X3, 029.3X9, 029.40, 029.41, 029.42, 029.43, 029.5X1, 029.5X2, 029.5X3, 029.5X9, 029.60, 029.61, 029.62, 029.63, 029.8X1, 029.8X2, 029.8X3, 029.8X9, 029.90, 029.91, 029.92, 029.93, 030.001, 030.002, 030.003, 030.009, 030.011, 030.012, 030.013, 030.019, 030.021, 030.022, 030.023, 030.029, 030.031, 030.032, 030.033, 030.039, 030.041, 030.042, 030.043, 030.049, 030.091, 030.092, 030.093, 030.099, 030.101, 030.102, 030.103, 030.109, 030.111, 030.112, 030.113, 030.119, 030.121, 030.122, 030.123, 030.129, 030.122, 030.193, 030.199, 030.201, 030.202, 030.203, 030.209, , 030.211, 030.212, 030.213, 030.219, 030.221, 030.222, 030.223, 030.229, 030.291, 030.292, 030.293, 030.299, 030.801, 030.802, 030.803, 030.809, 030.811, 030.812, 030.821, 030.822, 030.823, 036.22X4, 036.22X5, 036.22X9, 036.23X0, 036.23X1, 036.23X2, 036.23X3, 036.23X4, 036.23X5, 036.23X9, 036.4XX0, 036.4XX1, 036.4XX2, 036.4XX3, 036.4XX4, 036.4XX5, 036.4XX9, 036.5110, 036.5111, 036.5112, 036.5113, 036.5114, 036.5115, 036.5120, 036.5121, 036.5122, 036.5123, 036.5124, 036.5125, 036.5129, 036.5130, 036.5131, 036.5132, 036.5133, 036.5134, 036.5135, 036.5139, 036.5190, 036.5191, 036.5192, 036.5193, 036.5194, 036.5195, 036.5199, 036.5910, 036.5911, 036.5912, 036.5913, 036.5914, 036.5915, 036.5919, 036.5920, 036.5921, 036.5922, 036.5923, 036.5924, 036.5925, 036.5929, 036.5930, 036.5931, 036.5932, 036.5933, 036.5934, 036.5935, 036.5939, 036.5990, 036.5991, 036.5992, 036.5993, 036.5994, 036.5995, 036.5999, 036.60X0, 036.60X1, 036.60X2, 036.60X3, 036.60X4, 036.60X5, 036.60X9, 036.61X0, 036.61X1, 036.61X2, 036.61X3, 036.61X4, 036.61X5, 036.61X9, 036.62X0, 036.62X1, 036.62X2, 036.62X3, 036.62X4, 036.62X5, 036.62X9, 036.63X0, 036.63X1, 036.63X2, 036.63X3, 036.63X4, 036.63X5, 036.63X9, 036.70X0, 036.70X1, 036.70X2, 036.70X3, 036.70X4, 036.70X5, 036.70X9, 036.71X0, 036.71X1, 036.71X2, 036.71X3, 036.71X4, 036.71X5, 036.71X9, 036.72X0, 036.72X1, 036.72X2, 036.72X3, 036.72X4, 036.72X5, 036.72X9, 036.73X0, 036.73X1, 036.73X2, 036.73X3, 036.73X4, 036.73X5, 036.73X9, 036.80X0, 036.80X1, 036.80X2, 036.80X3, 036.80X4, 036.80X5, 036.80X9, 036.8120, 036.8121, 036.8122, 036.8123, 036.8124, 036.8125, 036.8129, 036.8130, 036.8131, 036.8132, 036.8133, 036.8134, 036.8135, 036.8139, 036.8190, 036.8191, 036.8192, 036.8193, 036.8194, 036.8195, 036.8199, 036.8210, 036.8211, 036.8212, 036.8213, 036.8214, 036.8215, 036.8219, 036.8220, 036.8221, 036.8222, 036.8223, 036.8224, 036.8225, 036.8229, 036.8230, 036.8231, 036.8232, 036.8233, 036.8234, 036.8235, 036.8239, 036.8290, 036.8291, 036.8292, 036.8293, 036.8294, 036.8295, 036.8299, 036.8910, 036.8911, 036.8912, 036.8913, 036.8914, 036.8915, 036.8919, 036.8920, 036.8921, 036.8922, 036.8923, 036.8924, 036.8925, 036.8929, 036.8930, 036.8931, 036.8932, 036.8933, 036.8934, 036.8935, 036.8939, 036.8990, 036.8991, 036.8992, 036.8993, 036.8994, 036.8995, 036.8999, 036.90X0, 036.90X1, 036.90X2, 036.90X3, 036.90X4, 036.90X5, 036.90X9, 036.91X0, 036.91X1, 036.91X2, 036.91X3, 036.91X4, 036.91X5, 036.91X9, 036.92X0, 036.92X1, 036.92X2, 036.92X3, 036.92X4, 036.92X5, 036.92X9, 036.93X0, 036.93X1, 036.93X2, 036.93X3, 036.93X4, 036.93X5, 036.93X9, 040.1XX0, 040.1XX1, 040.1XX2, 040.1XX3, 040.1XX4, 040.1XX5, 040.1XX9, 040.2XX0, 040.2XX1, 040.2XX2, 040.2XX3, 040.2XX4, 040.2XX5, 040.2XX9, 040.3XX0, 040.3XX1, 040.3XX2, 040.3XX3, 040.3XX4, 040.3XX5, 040.3XX9, 040.9XX0, 040.9XX1, 040.9XX2, 040.9XX3, 040.9XX4, 040.9XX5, 040.9XX9, 041.00X0, 041.00X1, 041.00X2, 041.00X3, 041.00X4, 041.00X5, 041.00X9, 041.01X0, 041.01X1, 041.01X2, 041.01X3, 041.01X4, 041.01X5, 041.01X9, 041.02X0, 041.02X1, 041.02X2, 041.02X3, 041.02X4, 041.02X5, 041.02X9, 041.03X0, 041.03X1, 041.03X2, 041.03X3, 041.03X4, 041.03X5, 041.03X9, 041.1010, 041.1011, 041.1012, 041.1013, 041.1014, 041.1015, 041.1019, 041.1020, 041.1021, 041.1022, 041.1023, 041.1024, 041.1025, 041.1029, 041.1030, 041.1031, 041.1032, 041.1033, 041.1034, 041.1035, 041.1039, 041.1090, 041.1091, 041.1092, 041.1093, 041.1094, 041.1095, 041.1099, 041.1210, 041.1211, 041.1212, 041.1213, 041.1214, 041.1215, 041.1219, 041.1220, 041.1221, 041.1222, 041.1223, 041.1224, 041.1225, 041.1229, 041.1230, 041.1231, 041.1232, 041.1233, 041.1234, 041.1235, 041.1239, 041.1290, 041.1291, 041.1292, 041.1293, 041.1294, 041.1295, 041.1299, 041.1410, 041.1411, 041.1412, 041.1413, 041.1414, 041.1415, 041.1419, 041.1420, 041.1421, 041.1422, 041.1423, 041.1424, 041.1425, 041.1429, 041.1430, 041.1431, 041.1432, 041.1433, 041.1434, 041.1435, 041.1439, 041.1490, 041.1491, 041.1492, 041.1493, 041.1494, 041.1495, 041.1499, 041.8X10, 041.8X11, 041.8X12, 041.8X13, 041.8X14, 041.8X15, 041.8X19, 041.8X20, 041.8X21, 041.8X22, 041.8X23, 041.8X24, 041.8X25, 041.8X29, 041.8X30, 041.8X31, 041.8X32, 041.8X33, 041.8X34, 041.8X35, 041.8X39, 041.8X90, 041.8X91, 041.8X92, 041.8X93, 041.8X94, 041.8X95, 041.8X99, 041.90X0, 041.90X1, 041.90X2, 041.90X3, 041.90X4, 041.90X5, 041.90X9, 041.91X0, 041.91X1, 041.91X2, 041.91X3, 041.91X4, 041.91X5, 041.91X9, 041.92X0, 041.92X1, 041.92X2, 041.92X3, 041.92X4, 041.92X5, 041.92X9, 041.93X0, 041.93X1, 041.93X2, 041.93X3, 041.93X4, 041.93X5, 041.93X9, 042.00, 042.011, 042.012, 042.013, 042.019, 042.02, 042.10, 042.111, 042.112, 042.113, 042.119, 042.12, 042.90, 042.911, 042.912, 042.913, 042.919, 042.92, 043.011, 043.012, 043.013, 043.019, 043.021, 043.022, 043.023, 043.029, 043.101, 043.102, 043.103, 043.109, 043.111, 043.112, 043.113, 043.119, 043.121, 043.122, 043.123, 043.129, 043.191, 043.192, 043.193, 043.199, 043.211, 043.212, 043.213, 043.219, 043.221, 043.222, 043.223, 043.229, 043.231, 043.232, 043.233, 043.239, 043.811, 043.812, 043.813, 043.819, 043.891, 043.892, 043.893, 043.899, 043.90, 043.91, 043.92, 043.93, 044.00, 044.01, 044.02, 044.03, 044.10, 044.11, 044.12, 044.13, 045.001, 045.002, 045.003, 045.009, 045.011, 045.012, 045.013, 045.019, 045.021, 045.022, 045.023, 045.029, 045.091, 045.092, 045.093, 045.099, 045.8X1, 045.8X2, 045.8X3, 045.8X9, 045.90, 045.91, 045.92, 045.93, 046.001, 046.002, 046.003, 046.009, 046.011, 046.012, 046.013, 046.019, 046.021, 046.022, 046.023, 046.029, 046.091, 046.092, 046.093, 046.099, 046.8X1, 046.8X2, 046.8X3, 046.8X9, 046.90, 046.91, 046.92, 046.93, 047.00, 047.02, 047.03, 047.1, 047.9, 048.0, 048.1, 094, 098.011, 098.019, 098.012, 098.013, 098.019, 098.02, 098.03, 098.112, 098.113, 098.119, 098.12, 098.13, 098.211, 098.212, 098.213, 098.219, 098.22, 098.23, 098.311, 098.312, 098.313, 098.319, 098.32, 098.33, 098.411, 098.412, 098.413, 098.419, 098.42, 098.43, 098.511, 098.512, 098.513, 098.519, 098.52, 098.53, 098.611, 098.612, 098.613, 098.619, 098.62, 098.63, 098.711, 098.712, 098.713, 098.719, 098.72, 098.73, 098.811, 098.812, 098.813, 098.819, 098.82, 098.83, 098.911, 098.912, 098.913, 098.919, 098.92, 098.93, 099.011, 099.012, 099.013, 099.019, 099.02, 099.03, 099.111, 099.112, 099.113, 099.119, 099.12, 099.13, 099.210, 099.211, 099.212, 099.213, 099.214, 099.215, 099.280, 099.281, 099.282, 099.283, 099.284, 099.285, 099.310, 099.311, 099.312, 099.313,
-------------------------------------	--



MEDICAL COVERAGE POLICY	
SERVICE: Preventive Care – Affordable Care Act	
Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

	O99.314, O99.315, O99.320, O99.321, O99.322, O99.323, O99.324, O99.325, O99.330, O99.331, O99.332, O99.333, O99.334, O99.335, O99.340, O99.341, O99.342, O99.343, O99.344, O99.345, O99.350, O99.351, O99.352, O99.353, O99.354, O99.355, O99.411, O99.412, O99.413, O99.419, O99.42, O99.43, O99.511, O99.512, O99.513, O99.519, O99.52, O99.53, O99.611, O99.612, O99.613, O99.619, O99.62, O99.63, O99.711, O99.712, O99.713, O99.719, O99.72, O99.73, O99.810, O99.814, O99.815, O99.820, O99.824, O99.825, O99.830, O99.834, O99.835, O99.840, O99.841, O99.842, O99.843, O99.844, O99.845, O99.891, O99.892, O99.893, O9A.111, O9A.112, O9A.113, O9A.119, O9A.12, O9A.13, O9A.211, O9A.212, O9A.213, O9A.219, O9A.22, O9A.23, O9A.311, O9A.312, O9A.313, O9A.319, O9A.32, O9A.33, O9A.411, O9A.412, O9A.413, O9A.419, O9A.42, O9A.43, O9A.511, O9A.512, O9A.513, O9A.519, O9A.52, O9A.53, Z03.71, Z03.72, Z03.73, Z03.74, Z03.75, Z03.79, Z32.2, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z36, Z3A.00, Z3A.01, Z3A.08, Z3A.09, Z3A.10, Z3A.11, Z3A.12, Z3A.13, Z3A.14, Z3A.15, Z3A.16, Z3A.17, Z3A.18, Z3A.19, Z3A.20, Z3A.21, Z3A.22, Z3A.23, Z3A.24, Z3A.25, Z3A.26, Z3A.27, Z3A.28, Z3A.29, Z3A.30, Z3A.31, Z3A.32, Z3A.33, Z3A.34, Z3A.35, Z3A.36, Z3A.37, Z3A.38, Z3A.39, Z3A.40, Z3A.41, Z3A.42, Z3A.49, O09.A0, O09.A1, O09.A2, O09.A3, O30.131, O30.132, O30.133, O30.139, O30.831, O30.832, O30.833, O30.839, O44.20, O44.21, O44.22, O44.23, O44.30, O44.31, O44.32, O44.33, O44.40, O44.41, O44.42, O44.43, O44.50, O44.51, O44.52, O44.53
Hepatitis C Diagnosis Code List	A50.01, A50.02, A50.03, A50.04, A50.05, A50.06, A50.07, A50.08, A50.09, A50.1, A50.2, A50.30, A50.31, A50.32, A50.39, A50.40, A50.41, A50.42, A50.43, A50.44, A50.45, A50.49, A50.51, A50.52, A50.53, A50.54, A50.55, A50.56, A50.57, A50.59, A50.6, A50.7, A50.9, A51.0, A51.1, A51.2, A51.31, A51.32, A51.39, A51.41, A51.42, A51.43, A51.44, A51.46, A51.49, A51.5, A51.9, A52.00, A52.01, A52.02, A52.03, A52.04, A52.05, A52.06, A52.09, A52.10, A52.11, A52.12, A52.13, A52.14, A52.15, A52.16, A52.17, A52.19, A52.2, A52.3, A52.71, A52.72, A52.73, A52.74, A52.75, A52.76, A52.77, A52.78, A52.79, A52.8, A52.9, A53.0, A53.9, A54.00, A54.01, A54.02, A54.03, A54.09, A54.1, A54.21, A54.22, A54.23, A54.24, A54.29, A54.30, A54.31, A54.32, A54.33, A54.39, A54.40, A54.41, A54.42, A54.43, A54.49, A54.5, A54.6, A54.81, A54.82, A54.83, A54.84, A54.85, A54.86, A54.89, A54.9, A55, A56.00, A56.01, A56.02, A56.09, A56.11, A56.19, A56.2, A56.3, A56.4, A56.8, A57, A58, A59.00, A59.01, A59.02, A59.03, A59.09, A59.8, A59.9, A60.00, A60.01, A60.02, A60.03, A60.04, A60.09, A60.1, A60.9, A63.0, A63.8, A64, A74.81, A74.89, A74.9, B07.8, B07.9, B20., B97.35, B97.7, D65, D66, D67., D68.0, D68.1, D68.2, D68.312, D68.318, D68.32, D68.4, D68.8, D68.9, F11.20, F11.21, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.20, F12.21, F12.220, F12.221, F12.222, F12.229, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.20, F13.21, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.20, F14.21, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.20, F15.21, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.20, F16.21, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.20, F18.21, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.20, F19.21, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29, K50.00, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.10, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.80, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.90, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.20, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219, K51.30, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.40, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419, K51.50, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.80, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.90, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919, M02.30, M02.311, M02.312, M02.319, M02.321, M02.322, M02.329, M02.331, M02.332, M02.339, M02.341, M02.342, M02.349, M02.351, M02.352, M02.359, M02.361, M02.362, M02.369, M02.371, M02.372, M02.379, M02.38, M02.39, N18.3, N18.4, N18.5, N18.6, N34.1, N49.1, N49.2, N49.3, N49.8, N49.9, N73.5, N73.9, N76.0, N76.1, N76.2, N76.3, N77.1, O35.3XX0, O35.3XX1, O35.3XX2, O35.3XX3, O35.3XX4, O35.3XX5, O35.3XX9, O35.5XX0, O35.5XX1, O35.5XX2, O35.5XX3, O35.5XX4, O35.5XX5, O35.5XX9, O90.4, O98.011, O98.012, O98.013, O98.019, O98.02, O98.03, O98.111, O98.112, O98.113, O98.119, O98.12, O98.13, O98.211, O98.212, O98.213, O98.219, O98.22, O98.23, O98.311, O98.312, O98.313, O98.319, O98.32, O98.33, O99.320, O99.321, O99.322, O99.323, O99.324, O99.325, P00.2, Z00.00, Z00.01, Z04.41, Z04.42, Z11.3, Z11.4, Z11.59, Z11.9, Z14.01, Z14.02, Z20.2, Z20.5, Z20.6, Z20.828, Z21, Z22.4, Z41.8, Z48.21, Z48.22, Z48.24, Z48.280, Z48.288, Z48.290, Z48.298, Z49.31, Z49.32, Z51.89, Z52.000, Z52.001, Z52.008, Z52.010, Z52.011, Z52.018, Z52.090, Z52.091, Z52.098, Z52.10, Z52.11, Z52.19, Z52.20, Z52.21, Z52.29, Z52.3, Z52.4, Z52.5, Z52.6, Z52.89, Z52.9, Z57.8, Z71.7, Z72.51, Z72.52, Z72.53, Z79.899, Z86.2, Z92.25, Z94.0, Z94.1, Z94.2, Z94.3, Z94.5, Z94.6, Z94.7, Z94.81, Z94.82, Z94.83, Z94.84, Z94.89, Z94.9, Z95.3, Z95.4, Z99.2
Diabetes Diagnosis Code List	Diabetes mellitus due to underlying condition: E08.00, E08.01, E08.10, E08.11, E08.21, E08.22, E08.29,E08.311, E08.319, E08.321,E08.329, E08.331, E08.339, E08.341, E08.349, E08.351,E08.359, E08.36, E08.39, E08.40, E08.41, E08.42, E08.43, E08.44, E08.49, E08.51,E08.52, E08.59, E08.610,E08.618, E08.620, E08.621, E08.622, E08.628, E08.630,E08.638, E08.641, E08.649,E08.65, E08.69, E08.8, E08.9 Drug or chemical induced diabetes mellitus: E09.00, E09.01, E09.10, E09.11, E09.21,E09.22, E09.29, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341,E09.349, E09.351, E09.359, E09.36, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610, E09.618, E09.620, E09.621, E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69, E09.8, E09.9 Type 1 diabetes mellitus: E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

	Type 2 diabetes mellitus: E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9 Other specified diabetes mellitus: E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9 E08.01, E08.10, E08.11, E08.21, E08.311, E08.319, E08.36, E08.39, E08.40		
Atherosclerosis	I70.0, I70.1, I70.201, I70.202, I70.203, I70.208, I70.209, I70.211, I70.212, I70.213, I70.218, I70.219, I70.221, I70.222, I70.223, I70.228, I70.229, I70.231, I70.232, I70.233, I70.234, I70.235, I70.238, I70.239, I70.241, I70.242, I70.243, I70.244, I70.245, I70.248, I70.249, I70.25, I70.261, I70.262, I70.263, I70.268, I70.269, I70.291, I70.292, I70.293, I70.298, I70.299, I70.301, I70.302, I70.303, I70.308, I70.309, I70.311, I70.312, I70.313, I70.318, I70.319, I70.321, I70.322, I70.323, I70.328, I70.329, I70.331, I70.332, I70.333, I70.334, I70.335, I70.338, I70.339, I70.341, I70.342, I70.343, I70.344, I70.345, I70.348, I70.349, I70.35, I70.361, I70.362, I70.363, I70.368, I70.369, I70.391, I70.392, I70.393, I70.398, I70.399, I70.401, I70.402, I70.403, I70.408, I70.409, I70.411, I70.412, I70.413, I70.418, I70.419, I70.421, I70.422, I70.423, I70.428, I70.429, I70.431, I70.432, I70.433, I70.434, I70.435, I70.438, I70.439, I70.441, I70.442, I70.443, I70.444, I70.445, I70.448, I70.449, I70.45, I70.461, I70.462, I70.463, I70.468, I70.469, I70.491, I70.492, I70.493, I70.498, I70.499, I70.501, I70.502, I70.503, I70.508, I70.509, I70.511, I70.512, I70.513, I70.518, I70.519, I70.521, I70.522, I70.523, I70.528, I70.529, I70.531, I70.532, I70.533, I70.534, I70.535, I70.538, I70.539, I70.541, I70.542, I70.543, I70.544, I70.545, I70.548, I70.549, I70.55, I70.561, I70.562, I70.563, I70.568, I70.569, I70.591, I70.592, I70.593, I70.598, I70.599, I70.601, I70.602, I70.603, I70.608, I70.609, I70.611, I70.612, I70.613, I70.618, I70.619, I70.621, I70.622, I70.623, I70.628, I70.629, I70.631, I70.632, I70.633, I70.634, I70.635, I70.638, I70.639, I70.641, I70.642, I70.643, I70.644, I70.645, I70.648, I70.649, I70.65, I70.661, I70.662, I70.663, I70.668, I70.669, I70.691, I70.692, I70.693, I70.698, I70.699, I70.701, I70.702, I70.703, I70.708, I70.709, I70.711, I70.712, I70.713, I70.718, I70.719, I70.721, I70.722, I70.723, I70.728, I70.729, I70.731, I70.732, I70.733, I70.734, I70.735, I70.738, I70.739, I70.741, I70.742, I70.743, I70.744, I70.745, I70.748, I70.749, I70.75, I70.761, I70.762, I70.763, I70.768, I70.769, I70.791, I70.792, I70.793, I70.798, I70.799, I70.8, I70.90, I70.91		
Medicare Required ICD10 for G0105, G0120	D12.6 - Benign neoplasm of colon, unspecified K50.00 - Crohn's disease of small intestine without complications K50.011 - Crohn's disease of small intestine with rectal bleeding K50.012 - Crohn's disease of small intestine with intestinal obstruction K50.013 - Crohn's disease of small intestine with fistula K50.014 - Crohn's disease of small intestine with abscess K50.018 - Crohn's disease of small intestine with other complication K50.019 - Crohn's disease of small intestine with unspecified complications K50.10 - Crohn's disease of large intestine without complications K50.111 - Crohn's disease of large intestine with rectal bleeding K50.112 - Crohn's disease of large intestine with intestinal obstruction K50.113 - Crohn's disease of large intestine with fistula K50.114 - Crohn's disease of large intestine with abscess K50.118 - Crohn's disease of large intestine with other complication K50.119 - Crohn's disease of large intestine with unspecified complications K50.80 - Crohn's disease of both small and large intestine without complications	K50.811 – Crohn's disease of both small and large intestine with rectal bleeding K50.812 - Crohn's disease of both small and large intestine with intestinal obstruction K50.813 - Crohn's disease of both small and large intestine with fistula K50.814 - Crohn's disease of both small and large intestine with abscess K50.818 - Crohn's disease of both small and large intestine with other complication K50.819 - Crohn's disease of both small and large intestine with unspecified complications K50.90 - Crohn's disease, unspecified, without complications K50.911 - Crohn's disease, unspecified, with rectal bleeding K50.912 - Crohn's disease, unspecified, with intestinal obstruction K50.913 - Crohn's disease, unspecified, with fistula K50.914 - Crohn's disease, unspecified, with abscess K50.918 - Crohn's disease, unspecified, with other complication K50.919 - Crohn's disease, unspecified, with unspecified complications K51.20 - Ulcerative (chronic) proctitis without K51.211 - Ulcerative (chronic) proctitis with rectal bleeding K51.212 - Ulcerative (chronic) proctitis with intestinal obstruction	K51.213 - Ulcerative (chronic) proctitis with fistula K51.214 - Ulcerative (chronic) proctitis with abscess K51.218 - Ulcerative (chronic) proctitis with other complication K51.219 - Ulcerative (chronic) proctitis with unspecified complications K51.30 - Ulcerative (chronic) rectosigmoiditis without complications K51.311 - Ulcerative (chronic) rectosigmoiditis with rectal bleeding K51.312 - Ulcerative (chronic) rectosigmoiditis with intestinal obstruction K51.313 - Ulcerative (chronic) rectosigmoiditis with fistula K51.314 - Ulcerative (chronic) rectosigmoiditis with abscess K51.318 - Ulcerative (chronic) rectosigmoiditis with other complication K51.319 - Ulcerative (chronic) rectosigmoiditis with unspecified complications K51.80 - Other ulcerative colitis without complications K51.811 - Other ulcerative colitis with rectal bleeding K51.812 – Other ulcerative colitis with intestinal obstruction K51.813 – Other ulcerative colitis with fistula



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number:	063
Effective Date:	11/01/2024
Last Review:	10/14/2024
Next Review:	10/14/2025

	K51.814 – Other ulcerative colitis with abscess K51.818 – Other ulcerative colitis with other complication K51.819 – Other ulcerative colitis with unspecified complications K51.90 – Ulcerative colitis, unspecified, without complications K51.911 - Ulcerative colitis, unspecified with rectal bleeding K51.912 - Ulcerative colitis, unspecified with intestinal obstruction K51.913 - Ulcerative colitis, unspecified with fistula	K51.914 - Ulcerative colitis, unspecified with abscess K51.918 - Ulcerative colitis, unspecified with other complication K51.919 - Ulcerative colitis, unspecified with unspecified complications K52.1 - Toxic gastroenteritis and colitis K52.89 - Other specified noninfective gastroenteritis and colitis K52.9 - Noninfective gastroenteritis and colitis, unspecified	Z85.038 - Personal history of other malignant neoplasm of large intestine Z85.048 - Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus Z12.11 - Encounter for screening for malignant neoplasm of colon Z12.12 - Encounter for screening for malignant neoplasm of rectum Z15.09 - Genetic susceptibility to other malignant neoplasm Z80.0 - Family history of malignant neoplasm of digestive organs Z83.71 - Family history of colonic polyps



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

BACKGROUND:

The Patient Protection and Affordable Care Act (PPACA) requires certain health benefit plans to cover some preventive care services without member cost-sharing. Scott & White Health Plan (Plan) provides coverage for preventive care services under the terms and conditions of an individual or group commercial Evidence of Coverage, or as an administrator for a self-insured group Plan. These policies vary in the way member out-of-pocket cost-sharing is determined; there may be copayments, deductibles, and/or coinsurance for certain health care services. Preventive services referenced in the PPACA may be covered under the member's benefit plan without application of copayments, deductibles, or coinsurance when services are provided under the terms and conditions of the member's benefit plan and this policy. Plan medical management requirements and network requirements must be met in order to receive this coverage. There may be limitations on when, in what setting, how, and how often a service is covered with no member cost share.

MANDATES:

Affordable Care Act of 2009. See Healthcare.gov for details on coverage of preventive care.

See CMS.gov for list of preventive services covered by Medicare as it is different from the above which affects commercial populations.

CODES:

Important note: Due to the wide range of applicable diagnosis codes and potential changes to codes, an inclusive list may not be presented, but the following codes may apply. Inclusion of a code in this section does not guarantee that it will be reimbursed, and patient must meet the criteria set forth in the policy language.

CPT Codes:	
HCPCS codes	
ICD-10 codes	

POLICY HISTORY:

Status	Date	Action
New	9/23/2010	New policy
Reviewed	6/6/2011	Reviewed
Reviewed	12/6/2011	Reviewed.
Reviewed	11/15/2012	Reviewed.
Reviewed	2/14/2013	Revised and updated to reflect changes in mandates
Partial Review	9/5/2013	Clarified reimbursement limits on breast pumps.
Partial Review	10/3/2013	Further clarified limits on breast pump reimbursement.
Reviewed	9/25/2014	Removed specific immunizations and preventive care items that might be subject to
Update	12/11/2014	Added criteria for annual CT scan for smokers
Reviewed	10/22/2015	No changes.



MEDICAL COVERAGE POLICY

SERVICE: Preventive Care – Affordable Care Act

Policy Number: 063

Effective Date: 11/01/2024

Last Review: 10/14/2024

Next Review: 10/14/2025

Reviewed	10/27/2016	Detailed benefits. Updated breast-pump coverage
Reviewed	10/17/2017	Updated as required.
Updated	11/28/2017	Added discussion regarding stool-based colorectal cancer tests. (Page 5)
Reviewed	09/04/2018	Aligned with current recommendations
Reviewed	08/22/2019	Aligned with current recommendations
Reviewed	09/24/2020	Aligned with current recommendations
Reviewed	05/27/2021	Aligned with current recommendations
Updated	08/26/2021	Updated
Updated	09/01/2022	Updated
Reviewed	10/29/2023	Formatting changes, beginning and ending note sections updated to align with CMS requirements and business entity changes
Reviewed	09/09/2024	Added the following statement "Note: Unless otherwise indicated (see below), this policy will apply to all lines of business."
Updated	10/14/2024	Updated preventive coverage for Medicare regarding Preexposure Prophylaxis (PrEP) Using Antiretroviral Therapy to Prevent Human Immunodeficiency Virus (HIV) Infection, screening tests, and counseling visits based on National Coverage Analysis Decision Memo (CAG-00464N).

REFERENCES:

The following scientific references were utilized in the formulation of this medical policy. BSWHP will continue to review clinical evidence related to this policy and may modify it at a later date based upon the evolution of the published clinical evidence. Should additional scientific studies become available, and they are not included in the list, please forward the reference(s) to BSWHP so the information can be reviewed by the Medical Coverage Policy Committee (MCPC) and the Quality Improvement Committee (QIC) to determine if a modification of the policy is in order.

1. <http://www.healthcare.gov/prevention/index.html>
2. <http://www.ahrq.gov/clinic/uspstfix.htm>
3. <http://www.CMS.gov>
4. United States Preventive Services Task Force: <http://www.uspreventiveservicestaskforce.org/>
5. Bright Futures Recommendations: https://www.aap.org/en-us/Documents/periodicity_schedule.pdf
6. Center for Disease Control and Prevention: <https://www.cdc.gov/vaccines/schedules/>

Note:

Health Maintenance Organization (HMO) products are offered through Scott and White Health Plan dba Baylor Scott & White Health Plan, and Scott & White Care Plans dba Baylor Scott & White Care Plan. Insured PPO and EPO products are offered through Baylor Scott & White Insurance Company. Scott and White Health Plan dba Baylor Scott & White Health Plan serves as a third-party administrator for self-funded employer-sponsored plans. Baylor Scott & White Care Plan and Baylor Scott & White Insurance Company are wholly owned subsidiaries of Scott and White Health Plan. These companies are referred to collectively in this document as Baylor Scott & White Health Plan.

RightCare STAR Medicaid plans are offered through Scott and White Health Plan in the Central Managed Care Service Area (MRSA) and STAR and CHIP plans are offered through SHA LLC dba FirstCare Health Plans (FirstCare) in the Lubbock and West MRSA.